

DURATECH Galvalume (GA) Chimney System

6"

| Description | Item Number | Pcs/ Ctn | Lbs/ Ctn | List Price Each |
|---|-------------|----------|----------|-----------------|
| 6" Chimney Pipe - GA | 6DT06 | 1 | 2.8 | \$57.02 |
| 6" Chimney Pipe SS | 6DT06SS | 1 | 2.7 | 74.04 |
| 9" Chimney Pipe - GA | 6DT09 | 1 | 4.0 | 70.64 |
| 9" Chimney Pipe SS | DT09SS | 1 | 4.0 | 79.15 |
| 12" Chimney Pipe - GA | 6DT12SS | 1 | 5.6 | 83.40 |
| 12" Chimney Pipe SS | 6DT12SS | 1 | 4.0 | 84.26 |
| 18" Chimney Pipe - GA | 6DT18 | 1 | 8.6 | 105.53 |
| 18" Chimney Pipe SS | 6DT18SS | 1 | 8.2 | 114.89 |
| 24" Chimney Pipe - GA | 6DT24 | 1 | 10.5 | 133.62 |
| 24" Chimney Pipe SS | 6DT24SS | 1 | 9.9 | 153.19 |
| 36" Chimney Pipe - GA | 6DT36 | 1 | 14.6 | 175.32 |
| 36" Chimney Pipe SS | 6DT36SS | 1 | 14.0 | 204.22 |
| 48" Chimney Pipe - GA | 6DT48 | 1 | 20.1 | 216.99 |
| 48" Chimney Pipe SS | 6DT48SS | 1 | 18.7 | 263.04 |
| 15° Elbow Kit - GA (includes 2 Elbows & 1 Elbow Strap) | 6DTE15K | 1 | 9.0 | 329.82 pr |
| 15° Elbow Kit SS | 6DTE15KSS | 1 | 9.0 | 404.13 pr |
| 30° Elbow Kit - GA (includes 2 Elbows & 1 Elbow Strap) | 6DTE30K | 1 | 9.0 | 391.55 pr |
| Elbow Strap | 6DTAES | 1 | 1.6 | 49.45 |
| Square Ceiling Support Box - 11" | 6DTCS11 | 1 | 8.5 | 169.36 |
| Square Ceiling Support Box - 24" | 6DTCS24 | 1 | 12.6 | 188.12 |
| Square Ceiling Support Box - 36" | 6DTCS36 | 1 | 18.2 | 207.66 |
| Round Ceiling Support Box | 6DTRCS | 1 | 4.0 | 88.75 |
| Trim Collar for Round Support Box - 5" - 6" (round) | 5DTTCR | 1 | 1.9 | 53.59 |
| Flat Ceiling Support Box | 6DTFCS | 1 | 9.3 | 114.89 |
| Firestop | 6DTFS | 1 | 2.3 | 60.36 |
| Trim Collar for Roof Support 0/12 - 3/12 | 6DTRSTC3 | 1 | 2.2 | 67.20 |
| Trim Collar for Roof Support 4/12 - 6/12 | 6DTRSTC6 | 1 | 2.2 | 67.20 |
| Trim Collar for Roof Support 7/12 - 9/12 | 6DTRSTC9 | 1 | 2.2 | 67.20 |
| Trim Collar for Roof Support 10/12 - 12/12 | 6DTRSTC12 | 1 | 2.2 | 67.20 |
| Wall Thimble | 6DTWT | 1 | 5.6 | 85.93 |
| Adjustable Tee Support Bracket - GA | 6DTTSB | 1 | 10.1 | 108.94 |
| Standard Tee w/Cap GA | 6DTST | 1 | 1.3 | 218.72 |
| Finishing Collar | 6DTFC | 1 | 1.3 | 52.13 |
| Anchor Plate | 6DTAP | 1 | 2.2 | 69.79 |
| Firestop Radiation Shield | 6DTFRS | 1 | 6.9 | 67.20 |
| Attic Insulation Shield | 6DTIS | 1 | 6.6 | 87.63 |
| Storm Collar 5" - 6" | 5DTSC | 10 | 6.0 | 16.14 |
| Extended Roof Bracket | 6DTXRB | 1 | 10.8 | 120.00 |
| Adjustable Roof Flashing 0/12 - 6/12 | 6DTF6 | 1 | 10.4 | 89.33 |
| Adjustable Roof Flashing 7/12 - 12/12 | 6DTF12 | 1 | 2.5 | 115.74 |
| DSA Roof Flashing | 6DTF12DSA | 1 | | 198.39 |
| Adjustable Roof Flashing 13/12 - 18/12 | 6DTF18 | 1 | 10.8 | 171.91 |
| Adjustable Roof Flashing 19/12 - 24/12 | 6DTF24 | 1 | 10.1 | 234.04 |
| Flat Roof Flashing | 6DTFF | 8 | 10.5 | 120.00 |
| DSA Adjustable Roof Flashing 0/12-6/12 | 6DTF6DSA | 4 | 2.6 | 124.32 |
| Chimney Cap | 6DTVC | 1 | 3.3 | 97.87 |
| Adjustable Wall Strap - GA | 6DTAWS | 1 | 3.0 | 52.75 |
| Spark Arrestor | 5DTSA | 1 | 3.3 | 19.60 |
| 6"-8" Adj. Roof Support | 6DTARS | 1 | 5.4 | 82.40 |

M&G Dura Vent

8"

| Description | Item Number | Pcs/ Ctn | Lbs/ Ctn | List Price Each |
|---|-------------|----------|----------|-----------------|
| 6" Chimney Pipe - GA | 8DT06 | 1 | 3.8 | \$65.50 |
| 9" Chimney Pipe - GA | 8DT09 | 1 | 2.3 | 82.52 |
| 12" Chimney Pipe - GA | 8DT12 | 1 | 6.3 | 99.57 |
| 18" Chimney Pipe - GA | 8DT18 | 1 | 11.1 | 125.08 |
| 24" Chimney Pipe - GA | 8DT24 | 1 | 12.6 | 161.67 |
| 36" Chimney Pipe - GA | 8DT36 | 1 | 18.6 | 232.34 |
| 48" Chimney Pipe - GA | 8DT48 | 1 | 25.2 | 267.20 |
| Adjustable Pipe 14"-21" | 8DT21TA | | | 284.68 |
| 15° Elbow Kit - GA (includes 2 Elbows & 1 Elbow Strap) | 8DTE15K | 1 | 10.4 | 414.89 pr |
| 30° Elbow Kit - GA (includes 2 Elbows & 1 Elbow Strap) | 8DTE30K | 1 | 9.5 | 473.28 pr |
| Square Ceiling Support Box - 11" | 8DTCS11 | 1 | 9.8 | 185.50 |
| Square Ceiling Support Box - 24" | 8DTCS24 | 1 | 14.9 | 206.81 |
| Square Ceiling Support Box - 36" | 8DTCS36 | 1 | 21.0 | 229.79 |
| Round Ceiling Support Box | 8DTRCS | 1 | 4.3 | 142.64 |
| Trim Collar for Round Support Box - 7" - 8" (round) | 7DTTCR | 1 | 2.1 | 55.29 |
| Trim Collar for Roof Support 4/12 - 6/12 | 8DTRSTC6 | 1 | 2.3 | 63.72 |
| Trim Collar for Roof Support 7/12 - 9/12 | 8DTRSTC9 | 1 | 2.2 | 63.72 |
| Wall Thimble | 8DTWT | 1 | 6.9 | 109.76 |
| Adjustable Tee Support Bracket - GA | 8DTTSB | 1 | 12.9 | 158.30 |
| Standard Tee w/Cap GA | 8DTST | 1 | 11.0 | 306.38 |
| Finishing Collar | 8DTFC | 1 | 1.6 | 60.30 |
| Anchor Plate | 8DTAP | 1 | 2.5 | 97.87 |
| Firestop Radiation Shield | 8DTFRS | 1 | 7.7 | 84.26 |
| Attic Insulation Shield | 8DTIS | 1 | 7.8 | 117.42 |
| Storm Collar 7" - 8" | 7DTSC | 10 | 7.0 | 17.84 |
| Extended Roof Bracket | 8DTXRB | 1 | 14.0 | 126.81 |
| Adjustable Roof Flashing 0/12 - 6/12 | 8DTF6 | 4 | 26.6 | 111.46 |
| Adjustable Roof Flashing 7/12 - 12/12 | 8DTF12 | 1 | 6.5 | 144.68 |
| Chimney Cap | 8DTVC | 1 | 4.9 | 175.32 |
| Adjustable Wall Strap - GA | 6DTAWS | 1 | 2.2 | 52.75 |
| Spark Arrestor | 5DTSA | 1 | | 19.60 |
| DSA Flashing 0/12-6/12 | 8DTF6DSA | 1 | 2.2 | 152.25 |
| Fire Stop | 8DTFS | 1 | | 73.77 |

7"

| Description | Item Number | Pcs/ Ctn | Lbs/ Ctn | List Price Each |
|---------------------------|-------------|----------|----------|-----------------|
| 6" Chimney Pipe - GA | 7DT06 | 1 | 3.4 | \$110.94 |
| 12" Chimney Pipe - GA | 7DT12 | 1 | 6.0 | 96.99 |
| 24" Chimney Pipe - GA | 7DT24 | 1 | 11.7 | 154.89 |
| 36" Chimney Pipe - GA | 7DT36 | 1 | 16.7 | 216.99 |
| 48" Chimney Pipe - GA | 7DT48 | 1 | 21.5 | 249.36 |
| Anchor Plate | 7DTAP | 1 | 21.5 | 87.63 |
| 15° Elbow Kit - GA | 7DTE15K | 1 | 8.2 | 402.74 |
| Adj. Flashing 7/12-12/12 | 7DTF12 | 1 | 7.0 | 133.62 |
| Adj. Flashing 0/12-6/12 | 7DTF6 | 4 | 12.0 | 102.13 |
| Finishing Collar /Adapter | 7DTFC | 1 | 1.5 | 72.92 |
| Firestop | 7DTFS | 1 | 2.3 | 67.05 |
| Storm Collar 7"-8" | 7DTSC | 10 | 7.0 | 17.84 |
| Trm Collar | 7DTTCR | 1 | 2.1 | 55.29 |
| Chimney Cap | 7DTVC | 1 | 5.1 | 133.62 |
| Adj. Wall Strap | 7DTWS | 1 | 1.9 | 49.36 |
| Wall Thimble | 7DTWT | 1 | 6.7 | 174.35 |

DIRECT VENT GS System

4" x 6 5/8"

| Description | Item # | Pcs/ Ctn | Lbs/ Ctn | LIST EACH |
|--|------------|-------------|-------------|--------------|
| 6" Pipe Length (galvanized) | 46DVA-06 | 6 | 6.8 | \$28.22 |
| 6" Pipe Length (black) | 46DVA-06B | 1 | 2.0 | 49.98 |
| 9" Pipe Length (galvanized) | 46DVA-09 | 6 | 9.4 | 32.19 |
| 9" Pipe Length (black) | 46DVA-09B | 1 | 2.0 | 49.47 |
| 12" Pipe Length (galvanized) | 46DVA-12 | 6 | 12.2 | 37.18 |
| 12" Pipe Length (black) | 46DVA-12B | 1 | 3.0 | 54.83 |
| 4X6 Diameter 16" Pipe Extension | 46DVA-16A | 6 | 2.7 | 32.76 |
| 4X6 Diameter 16" Pipe Extension Black | 46DVA-16AB | 1 | 3.0 | 48.31 |
| 18" Pipe Length (galvanized) | 46DVA-18 | 6 | 17.0 | 44.16 |
| 18" Pipe Length (black) | 46DVA-18B | 1 | 3.0 | 61.81 |
| 24" Pipe Length (galvanized) | 46DVA-24 | 6 | 22.6 | 50.75 |
| 24" Pipe Length (black) | 46DVA-24B | 1 | 5.0 | 71.05 |
| 36" Pipe Length (galvanized) | 46DVA-36 | 6 | 32.8 | 61.99 |
| 36" Pipe Length (black) | 46DVA-36B | 1 | 6.0 | 86.77 |
| 48" Pipe Length (galvanized) | 46DVA-48 | 6 | 43.1 | 74.09 |
| 48" Pipe Length (black) | 46DVA-48B | 1 | 8.1 | 103.72 |
| 60" Pipe Length (galvanized) | 46DVA-60 | 6 | 55.8 | 98.42 |
| 60" Pipe Length (black) | 46DVA-60B | 1 | 8.1 | 138.22 |
| 8-1/2" Pipe Extension (galvanized) | 46DVA-08A | 6 | 8.0 | 27.61 |
| 8-1/2" Pipe Extension (black) | 46DVA-08AB | 1 | 2.0 | 42.43 |
| 4X6 Diameter 30° Elbow | 46DVA-E30 | 6 | 1.8 | 53.95 |
| 45° Elbow (galvanized) | 46DVA-E45 | 6 | 9.0 | 50.41 |
| 45° Elbow (black) | 46DVA-E45B | 1 | 2.2 | 65.59 |
| 60° Non-Swivel Elbow (galvanized) | 46DVA-E60 | 6 | 10.8 | 61.78 |
| 90° Elbow (galvanized) | 46DVA-E90 | 6 | 12.5 | 58.64 |
| 90° Elbow (black) | 46DVA-E90B | 1 | 2.8 | 76.62 |
| Elbow Strap | 46DVA-ES | 6 | 5.3 | 16.09 |
| Round Ceiling Support/ Wall Thimble Cover | 46DVA-DC | 1 | 2.0 | 64.68 |

5" x 8"

| Description | Item # | Pcs/ Ctn | Lbs/ Ctn | LIST EACH |
|--|-----------|-------------|-------------|--------------|
| 6" Pipe Length (galvanized) | 58DVA-06 | 4 | 6.0 | \$33.19 |
| 9" Pipe Length (galvanized) | 58DVA-09 | 4 | 8.0 | 37.88 |
| 12" Pipe Length (galvanized) | 58DVA-12 | 4 | 10.7 | 43.74 |
| 18" Pipe Length (galvanized) | 58DVA-18 | 4 | 14.7 | 51.97 |
| 24" Pipe Length (galvanized) | 58DVA-24 | 4 | 30.4 | 59.71 |
| 36" Pipe Length (galvanized) | 58DVA-36 | 4 | 28.4 | 72.90 |
| 48" Pipe Length (galvanized) | 58DVA-48 | 4 | 38.4 | 87.17 |
| 60" Pipe Length (galvanized) | 58DVA-60 | 4 | 38.4 | 116.15 |
| 8-1/2" Pipe Extension (galvanized) | 58DVA-08A | 4 | 10.8 | 32.52 |
| 16" Pipe Extension (galvanized) | 58DVA-16A | 4 | 10.8 | 40.96 |
| 45° Elbow (galvanized) | 58DVA-E45 | 4 | 9.8 | 61.17 |
| 90° Elbow (galvanized) | 58DVA-E90 | 4 | 12.0 | 71.35 |
| Round Ceiling Support/ Wall Thimble Cover | 58DVA-DC | 1 | 1.8 | 74.34 |
| Wall Thimble | 58DVA-WT | 4 | 14.6 | 68.91 |
| Wall Firestop | 58DVA-WFS | 4 | 11.1 | 64.95 |

4" x 6 5/8" Continued

| Description | Item # | Pcs/ Ctn | Lbs/ Ctn | LIST EACH |
|--|-------------|-------------|-------------|--------------|
| Cathedral Ceiling Support Box | 46DVA-CS | 1 | 6.3 | \$100.58 |
| Wall Thimble* | 46DVA-WT | 6 | 19.6 | 50.75 |
| Vinyl Siding Standoff | 46DVA-VSS | 1 | 4.4 | 67.05 |
| Ceiling Firestop | 46DVA-FS | 6 | 5.8 | 12.22 |
| Attic Insulation Shield | 46DVA-IS | 1 | 5.0 | 89.24 |
| Wall Strap | 46DVA-WS | 6 | 4.1 | 22.07 |
| Restrictor Disk | 46DVA-RD | 3 | 0.3 | 5.18 |
| Adjustable Roof Flashing 0/12 - 6/12 | 46DVA-F6 | 6 | 14.6 | 35.66 |
| Steep Roof Flashing 7/12 - 12/12 | 46DVA-F12 | 6 | 18.0 | 67.63 |
| DSA Flashing 0/12 - 6/12 | 46DVA-F6DS | 6 | 14.6 | 67.30 |
| Storm Collar | 46DVA-SC | 6 | 2.8 | 10.36 |
| Sconce Termination Cap (aluminum) | 46DVA-HSC | 1 | 4.4 | 137.95 |
| Square Horizontal Termination Cap (aluminum) | 46DVA-HC | 1 | 5.0 | 207.10 |
| Snorkel Termination Cap 14" | 46DVA-SNK14 | 1 | 10.9 | 552.61 |
| Snorkel Termination Cap 36" | 46DVA-SNK36 | 1 | 17.0 | 632.31 |
| Horizontal Windguard | 46DVA-WG | 1 | 2.8 | 136.82 |
| High-Wind Termination Cap | 46DVA-VCH | 1 | 2.0 | 83.48 |
| Low-Profile Termination Cap (aluminum) | 46DVA-VC | 1 | 2.0 | 98.90 |
| Extended Vertical Termination Cap | 46DVA-VCE | 1 | 3.2 | 179.61 |
| Co-Axial to Co-Linear Appliance Connector for Masonry Relining - Use 3" Flex Extension | | | | |
| Standard Appliance Connector | 46DVA-GCL | 1 | 2.6 | 160.84 |
| Appliance Adapter | 46DVA-ADP | 1 | 3.0 | 53.09 |
| Co-Linear Flex Connectors | 46DVA-ADF | 2 | 0.6 | 38.04 |
| Flat Roof Flashing | 46DVA-FF | 6 | 14.6 | 54.01 |
| Small Wall Thimble | 46DVA-WTS | 6 | 18.0 | 46.27 |

5" x 8" Continued

| Description | Item # | Pcs/ Ctn | Lbs/ Ctn | LIST EACH |
|---|-------------|-------------|-------------|--------------|
| Vinyl Siding Standoff | 58DVA-VSS | 1 | 5.0 | \$103.99 |
| Ceiling Firestop | 58DVA-FS | 4 | 5.6 | 15.30 |
| Attic Insulation Shield | 58DVA-IS | 1 | 8.5 | 111.55 |
| Wall Strap | 58DVA-WS | 4 | 3.4 | 25.14 |
| Adjustable Roof Flashing 0/12 - 6/12 | 58DVA-F6 | 6 | 22.0 | 65.83 |
| Steep Roof Flashing 7/12 - 12/12 | 58DVA-F12 | 6 | 24.6 | 116.73 |
| DSA Flashing 0/12 - 6/1 | 58DVA-F6DS | 6 | 22.0 | 88.51 |
| Storm Collar | 58DVA-SC | 6 | 3.3 | 16.98 |
| High Wind Sconce Cap | 58DVA-HSCH | | | 246.72 |
| Snorkel Termination Cap 14" | 58DVA-SNK14 | 1 | 14.0 | 607.86 |
| Snorkel Termination Cap 36" | 58DVA-SNK36 | 1 | 17.3 | 695.52 |
| High-Wind Termination Cap | 58DVA-VCH | 1 | 2.8 | 99.18 |
| Low-Profile Termination Cap | 58DVA-VC | 1 | 2.2 | 113.08 |
| 5" x 8" Horiz. Cap V2 | 58DVA-H2 | 1 | 2.0 | 211.94 |
| Horizontal Cap | 58DVA-HC | 1 | 2.7 | 235.48 |

DIRECT VENT PRO

Direct Vent System

4" x 6⁵/₈" Kits

| Description | Item # | Pcs/ Ctn | Lbs/ Ctn | LIST EACH |
|---|-------------|-------------|-------------|--------------|
| Horizontal Termination Kit A (includes: 90° Elbow [black], Ceiling Support/Wall Thimble Cover, 24" Pipe Length [black], 8-1/2" Pipe Extension [black]) | 46DVA-KHA | 1 | 16.1 | \$314.60 |
| Horizontal Termination Kit A (includes: 90° Elbow [black], Wall Thimble, Ceiling Support/Wall Thimble Cover, 24" Pipe Length [black], 8-1/2" Pipe Extension [black]) | 46DVA-KHC | 1 | 4.0 | 371.72 |
| Chimney Liner Termination Kit (includes: Termination Connector, Flashing) | 46DVA-GK | 1 | 5.6 | 173.58 |
| Co Linear 'Masonry Chimney Conversion Kit (includes: 2 flex runs 35ft, and high wind cap) | 46DVA-CL33 | 1 | 22.0 | 283.45 |
| 4 x 6 Termination Kit (Includes High Wind Termination Cap, 1-3"x35' and 1- 4"x35' flex) | 46DVA-CL34 | 1 | 22.0 | 283.45 |
| Masonry Chimney Conversion Kit (includes: Cap Adapter and Retro Connector) | 46DVA-KMC | 1 | 6.6 | 258.82 |
| Chimney Conversion Kit A (includes: Cap Adapter, Retro Connector) | 46DVA-KCA | 1 | 2.5 | 214.81 |
| 4 x 6 Flex Kit w/Prairie Cap (includes 2-35' flex lengths) | 46DVA-CL33P | 1 | 21.0 | 389.30 |
| 4 x 6 Flex Kit w/Prairie Cap (includes 1-35' flex length and 1-4' flex length) | 46DVA-CL34P | 1 | 21.0 | 389.30 |
| Chimney Conversion Kit B (includes: Cap Adapter, Retro Connector) | 46DVA-KCB | 1 | 2.6 | 214.81 |
| Chimney Conversion Kit C (includes: Cap Adapter, Retro Connector) | 46DVA-KCC | 1 | 3.1 | 214.81 |

M&G DuraVent

Aluminum Gas Relining

DuraFlex Kits Include: Termination Cap, Universal Adapter
Flex Connector, Mortar Sleeve, Flashing and Flex Lengths

DURAFLEX AL

Gas Relining System

3"

| Description | Item # | Pcs/ Ctn | Lbs/ Ctn | LIST EACH |
|--|----------|-------------|-------------|--------------|
| DuraFlex AL Kit - 3" x 25' (includes: DuraFlex AL Length, DuraFlex AL Cap, DuraFlex Top Plate, and DuraFlex Mortar Sleeve) | 3DFA-25K | 1 | 9.4 | \$194.40 |
| DuraFlex AL Kit - 3" x 35' (includes: DuraFlex AL Length, DuraFlex AL Cap, DuraFlex Top Plate, and DuraFlex Mortar Sleeve) | 3DFA-35K | 1 | 11.0 | 229.18 |
| DuraFlex AL Length - 3" x 35' | 3DFA-35 | 1 | 8.2 | 151.73 |
| DuraFlex AL Coupling | 3DFAFC | 6 | 0.4 | 14.00 |

4"

| Description | Item # | Pcs/ Ctn | Lbs/ Ctn | LIST EACH |
|--|----------|-------------|-------------|--------------|
| DuraFlex AL Kit - 4" x 25' (includes: DuraFlex AL Length, DuraFlex AL Cap, DuraFlex Top Plate, and DuraFlex Mortar Sleeve) | 4DFA-25K | 1 | 11.7 | \$207.05 |
| DuraFlex AL Kit - 4" x 35' (includes: DuraFlex AL Length, DuraFlex AL Cap, DuraFlex Top Plate, and DuraFlex) | 4DFA-35K | 1 | 14.9 | 252.86 |
| DuraFlex AL Length - 4" x 35' | 4DFA-35 | 1 | 11.1 | 213.36 |
| DuraFlex AL Coupling | 4DFAFC | 6 | 0.2 | 15.00 |
| 4" DuraFlex Connector | 4DFSFC | 1 | 1.0 | 22.52 |

6"

| Description | Item # | Pcs/ Ctn | Lbs/ Ctn | LIST EACH |
|--|--------------|-------------|-------------|--------------|
| DF304 -20 Kit 6" x 20' (includes: DFSS Top Plate, Cap, Connector) | 6DF304-20K | 1 | 28.0 | \$493.42 |
| 6" DF304 25' Kit 6" x 25' (includes: term assembly 25' flex, appliance connector) | 6DF304-25K | 1 | 30.0 | 588.30 |
| 6"DF304-25KFB Kit (includes: DFSS Top Plate, Cap Connector) | 6DF304-25KFB | 1 | 32.0 | 898.76 |
| 6"DF304-30K Kit (includes: DFSS Top Plate, Cap Connector) | 6DF304-30K | 1 | 37.0 | 683.22 |
| 6"DF304-35K Kit (includes: DFSS Top Plate, Cap Connector) | 6DF304-35K | 1 | 40.0 | 771.79 |

PELLET VENT PRO Chimney System

DuraVent

3"

| Description | Item # | Pcs/ Ctn | Lbs/ Ctn | LIST EACH |
|--|-------------|-------------|-------------|--------------|
| 6" Straight Length Pipe | 3PVP-06 | 6 | 4.1 | \$25.83 |
| 12" Straight Length Pipe | 3PVP-12 | 6 | 7.9 | 36.99 |
| 24" Straight Length Pipe | 3PVP-24 | 6 | 15.4 | 48.88 |
| 36" Straight Length Pipe | 3PVP-36 | 6 | 21.1 | 67.05 |
| 60" Straight Length Pipe | 3PVP-60 | 6 | 37.5 | 95.83 |
| 12" Pipe Extension | 3PVP-12A | 6 | 8.5 | 50.29 |
| 18" Pipe Extension | 3PVP-18A | 6 | 8.5 | 77.24 |
| 60" Flex Pipe | 3PVP-60F | 6 | 17.0 | 164.68 |
| Appliance Adapter | 3PVP-AD | 6 | 3.0 | 20.10 |
| Appliance Adapter/Increaser 3" - 4" | 3PVP-X4AD | 6 | 5.4 | 73.46 |
| Appliance Adapter/Increaser 3" - 4" (black) | 3PVP-X4ADB | 6 | 5.4 | 95.67 |
| 45° Elbow | 3PVP-E45 | 6 | 5.0 | 65.35 |
| 90° Elbow | 3PVP-E90 | 6 | 7.1 | 81.70 |
| Single Tee w/Clean-Out Tee Cap 4" diameter w /3" | 3PVP-T | 6 | 10.8 | 109.52 |
| Adapter Branch | 3PVP-TADX4 | 6 | 10.0 | 116.73 |
| Vertical Cap | 3PVP-VC | 6 | 7.0 | 60.74 |
| Horizontal Cap | 3PVP-HC | 6 | 5.4 | 45.99 |
| Wall Thimble (for 1" clearance) | 3PVP-WT | 6 | 16.6 | 69.84 |
| 3" Wall Thimble Air Intake Kit (includes: Wall Thimble [for 1" clearance]; 2" AL Flex; [2] hose clamps) | 3PVP-WTI | 6 | 16.6 | 163.30 |
| Ceiling Support Firestop Spacer (for 1" clearance) | 3PVP-FS | 6 | 10.3 | 53.49 |
| Wall Strap | 3PVP-WS | 6 | 5.6 | 25.00 |
| Cathedral Ceiling Support Box | 3PVP-CS | 1 | 6.1 | 110.93 |
| House Shield | 3PVP-HS | 6 | 5.7 | 27.92 |
| Storm Collar | 3PVP-SC | 6 | 1.7 | 5.99 |
| Adjustable Roof Flashing 0/12-6/12 | 3PVP-F6 | 6 | 11.8 | 20.93 |
| Reduction Collar | 3PVP-RC | 6 | 2.6 | 22.18 |
| Increaser 3" - 4" | 3PVP-X4 | 6 | 6.5 | 63.40 |
| Chimney Adapter - 6" | 3PVP-X6 | 6 | 11.4 | 89.10 |
| Chimney Adapter - 8" | 3PVP-X8 | 6 | 13.8 | 110.06 |
| Increaser Tee Black 3"-4" | 3PVP-TADX4B | 6 | 10.0 | 126.51 |
| Harmon Appliance Adapter | 3PVP-X4ADHB | 6 | 5.0 | 96.12 |

4"

| Description | Item # | Pcs/ Ctn | Lbs/ Ctn | LIST EACH |
|--|------------|-------------|-------------|--------------|
| 6" Straight Length Pipe | 4PVP-06 | 6 | 5.6 | \$27.63 |
| 6" Straight Length Pipe (black) | 4PVP-06B | 6 | 5.6 | 45.13 |
| 12" Straight Length Pipe | 4PVP-12 | 6 | 10.7 | 39.52 |
| 12" Straight Length Pipe (black) | 4PVP-12B | 6 | 10.7 | 62.44 |
| 24" Straight Length Pipe | 4PVP-24 | 6 | 20.0 | 61.73 |
| 24" Straight Length Pipe (black) | 4PVP-24B | 6 | 20.0 | 84.23 |
| 36" Straight Length Pipe | 4PVP-36 | 6 | 29.0 | 80.16 |
| 36" Straight Length Pipe (black) | 4PVP-36B | 6 | 29.0 | 98.75 |
| 60" Straight Length Pipe | 4PVP-60 | 6 | 46.5 | 108.69 |
| 60" Straight Length Pipe (black) | 4PVP-60B | 6 | 40.5 | 130.87 |
| 12" Pipe Extension | 4PVP-12A | 6 | 10.8 | 55.58 |
| 12" Pipe Extension (black) | 4PVP-12AB | 6 | 10.8 | 78.91 |
| 18" Pipe Extension | 4PVP-18A | 6 | 10.8 | 85.48 |
| 18" Pipe Extension (black) | 4PVP-18AB | 6 | 10.8 | 121.38 |
| 60" Flex Pipe | 4PVP-60F | 6 | 24.0 | 235.67 |
| Appliance Adapter | 4PVP-AD | 6 | 3.5 | 21.79 |
| Appliance Adapter (black) | 4PVP-ADB | 6 | 3.5 | 57.05 |
| Female Flex Adapter | 4PVP-ADFF | 6 | 3.0 | 20.93 |
| Male Flex Adapter | 4PVP-ADFM | 6 | 3.0 | 38.04 |
| 45° Elbow | 4PVP-E45 | 6 | 7.4 | 74.04 |
| 45° Elbow (black) | 4PVP-E45B | 6 | 7.4 | 92.05 |
| 90° Elbow | 4PVP-E90 | 6 | 10.1 | 102.82 |
| 90° Elbow (black) | 4PVP-E90B | 6 | 10.1 | 119.84 |
| Single Tee w/Clean-Out Tee Cap | 4PVP-T | 6 | 14.9 | 114.55 |
| Single Tee w/Clean-Out Tee Cap (black) | 4PVP-TB | 6 | 14.9 | 126.83 |
| Increaser Tee w/Clean-Out Tee Cap | 4PVP-T3 | 6 | 10.4 | 111.47 |
| Vertical Cap | 4PVP-VC | 6 | 7.3 | 64.81 |
| Horizontal Cap | 4PVP-HC | 6 | 5.4 | 51.99 |
| Wall Thimble (for 1" clearance) | 4PVP-WT | 6 | 16.5 | 75.00 |
| 4" Wall Thimble Air Intake Kit (includes: Wall Thimble [for 1" clearance]; 2" AL Flex; [2] hose clamps) | 4PVP-WTI | 6 | 16.6 | 175.45 |
| Ceiling Support Firestop Spacer (for 1" clearance) | 4PVP-FS | 6 | 11.5 | 62.44 |
| Wall Strap | 4PVP-WS | 6 | 5.1 | 27.08 |
| Adjustable Wall Strap | 4PVP-WSA | 6 | 5.1 | 29.46 |
| Cathedral Ceiling Support Box | 4PVP-CS | 1 | 6.3 | 110.93 |
| House Shield | 4PVP-HS | 6 | 6.0 | 41.22 |
| Storm Collar | 4PVP-SC | 6 | 1.7 | 6.99 |
| Attic Insulation Shield | 4PVP-IS | 1 | 4.5 | 56.28 |
| Adjustable Roof Flashing | 4PVP-F6 | 6 | 12.0 | 23.33 |
| Tall Cone Roof Flashing | 4PVP-FF | 6 | 17.3 | 30.87 |
| DSA Roof Flashing 7/12 - 12/12 | 4PVP-F12DS | 6 | 17.4 | 67.05 |
| Reduction Collar | 4PVP-RC | 6 | 2.5 | 22.18 |
| Chimney Adapter - 6" | 4PVP-X6 | 6 | 11.8 | 93.59 |
| Chimney Adapter - 8" | 4PVP-X8 | 6 | 8.8 | 113.27 |
| Dead Soft Flashing | 4PVP-F6DS | 6 | 12.0 | 58.50 |
| 0/12-6/12 Pitch Flashing (Casper Stocked only) | | | | |

DuraVent

DURA-BLACK Stovepipe

Single-Wall

6th

| Description | Item # | Pcs/ Ctn | Lbs/ Ctn | LIST EACH |
|------------------------------|----------|-------------|-------------|--------------|
| Slip Connector | 6DBKSC | 1 | 2.3 | \$37.95 |
| Telescoping Length 44" - 68" | 6DBKTL | 1 | 7.4 | 99.20 |
| Snap-Lock Adapter | 6DBKADSL | 1 | 0.8 | 57.69 |
| 12" Single-Wall Black Pipe | 6DBK12 | 1 | 2.1 | 25.38 |
| 24" Single-Wall Black Pipe | 6DBK24 | 1 | 3.9 | 28.43 |
| 48" Single-Wall Black Pipe | 6DBK48 | 1 | 7.4 | 47.92 |
| Tee w/Clean-Out Cap | 6DBKT | 1 | 2.9 | 74.87 |
| 45° Black Elbow | 6DBKE4 | 1 | 1.7 | 25.58 |
| 90° Black Elbow | 6DBKE90 | 1 | 2.0 | 32.15 |
| Damper Section | 6DBKDS | 1 | 2.0 | 41.76 |
| Oval-to-Round Adapter | 6DBKADOR | 1 | 2.1 | 27.05 |
| Double-Skirted Stovetop Adp. | 6DBKADDB | 1 | 1.1 | 33.27 |
| Stovetop Adapter | 6DBKAD | 1 | 0.8 | 22.69 |
| Trim Collar | 6DBKTC | 1 | 0.4 | 14.94 |

Single-Wall

8th

| Description | Item # | Pcs/ Ctn | Lbs/ Ctn | LIST EACH |
|------------------------------|----------|-------------|-------------|--------------|
| Slip Connector | 8DBKSC | 1 | 3.0 | \$45.77 |
| Snap-Lock Adapter | 8DBKADSL | 1 | 1.3 | 70.74 |
| Slip Increaser 6" - 8" | 6DBKXRS8 | 1 | 3.2 | 49.62 |
| 12" Single-Wall Black Pipe | 8DBK12 | 1 | 3.1 | 26.19 |
| 24" Single-Wall Black Pipe | 8DBK24 | 1 | 5.0 | 33.17 |
| 48" Single-Wall Black Pipe | 8DBK48 | 1 | 9.3 | 54.07 |
| Increaser 7" - 8" | 7DBKX8 | 1 | 1.8 | 53.88 |
| Tee w/Clean-Out Cap | 8DBKT | 1 | 4.9 | 104.29 |
| 45° Black Elbow | 8DBKE45 | 1 | 2.4 | 30.58 |
| 90° Black Elbow | 8DBKE90 | 1 | 3.3 | 42.02 |
| Damper Section | 8DBKDS | 1 | 3.2 | 53.46 |
| Oval-to-Round Adapter | 8DBKADOR | 1 | 2.8 | 32.21 |
| Double-Skirted Stovetop Adp. | 8DBKADDB | 1 | 1.6 | 34.10 |
| Stovetop Adapter | 8DBKAD | 1 | 1.2 | 31.44 |
| Trim Collar | 8DBKTC | 1 | 0.7 | 23.78 |

DuraVent

DVL CLOSE CLEARANCE Connector

Double-Wall

6th

| Description | Item # | Pcs/ Ctn | Lbs/ Ctn | LIST EACH |
|--|-----------|-------------|-------------|--------------|
| DVUDuraBlack Chimney Adapter | 6DVLADC | 6 | 2.0 | \$33.01 |
| 6" Double-Wall Black Pipe | 6DVL06 | 1 | 1.9 | 53.97 |
| 12" Double-Wall Black Pipe | 6DVL12 | 1 | 3.2 | 57.69 |
| 18" Double-Wall Black Pipe | 6DVL18 | 1 | 4.7 | 68.56 |
| 24" Double-Wall Black Pipe | 6DVL24 | 1 | 6.1 | 95.00 |
| 48" Double-Wall Black Pipe | 6DVL48 | 1 | 11.7 | 146.06 |
| 6" Double-Wall Adj. Black Pipe | 6DVL6ADJ | 1 | 1.9 | 58.65 |
| 12" Double-Wall Adj. Black Pipe | 6DVL12ADJ | 1 | 3.2 | 71.63 |
| Telescoping Length 29" - 46" | 6DVL46TA | 1 | 12.5 | 173.04 |
| Telescoping Length 40" - 68" | 6DVL68TA | 1 | 17.7 | 229.62 |
| 45° Double-Wall Black Elbow | 6DVL4E5 | 1 | 2.5 | 75.22 |
| 90° Double-Wall Black Elbow | 6DVL9E0 | 1 | 3.3 | 112.69 |
| Increaser 5" - 6" | 5DVLX6 | 1 | 2.3 | 89.23 |
| Double-Wall Black Tee w/Clean-Out Cap | 6DVLT | 1 | 4.9 | 97.37 |
| Adapter/Damper Section | 6DVLADWD | 1 | 2.4 | 69.81 |
| Adapter Section No Damper | 6DVLAD | 1 | 2.0 | 51.06 |
| Chimney Adapter | 6DVLADT1 | 2.0 | 60.51 | |
| 6" - 8" Increaser | 6DVLXB8 | 1 | 3.4 | 93.40 |

8th Double-Wall

| | | | | |
|--|-----------|-------|-------|---------|
| 12" Double-Wall Black Pipe | 8DVL12 | 1 | 4.3 | \$87.08 |
| 12" Double-Wall Adj. Black Pipe | 8DVL12ADJ | 1 | 4.4 | 100.96 |
| 18" Double-Wall Black Pipe | 8DVL18 | 1 | 6.2 | 112.69 |
| 24" Double-Wall Black Pipe | 8DVL24 | 1 | 7.1 | 121.60 |
| Telescoping Length 29" - 46" | 8DVL46TA | 1 | 16.2 | 227.37 |
| 48" Double-Wall Black Pipe | 8DVL48 | 1 | 11.7 | 196.89 |
| Telescoping Length 40" - 68" | 8DVL68TA | 1 | 22.2 | 273.91 |
| 6" Double-Wall Adj. Black Pipe | 8DVL6ADJ | 1 | 2.6 | 83.65 |
| Adapter Section No Damper | 8DVLAD | 1 | 2.0 | 78.88 |
| DVL/Dura Black Chimney Adap. | 8DVLADC | 1 2.7 | 40.26 | |
| Chimney Adapter | 8DVLADT | 1 | 2.7 | 69.04 |
| Adapter/Damper Section | 8DVLADWD | 1 | 3.6 | 107.98 |
| 45° Double-Wall Black Elbow | 8DVL4E5 | 1 | 4.7 | 106.89 |
| 90° Double-Wall Black Elbow | 8DVL9E0 | 1 | 5.6 | 152.66 |
| Oval To Round Adapter | 8DVLORAD | 1 | 4.8 | 121.28 |
| Double-Wall Black Tee w/Clean-Out Cap | 8DVLT | 1 | 4.9 | 164.42 |

DURA/PLUS 2100° HT Chimney Systems

DuraVent

Triple-Wall Insulated

| 6" | | | | |
|---|---------|-------------|-------------|--------------|
| Description | Item # | Pcs/ Ctn | Lbs/ Ctn | LIST EACH |
| 6" DURAPLUS 2100° HT | | | | |
| 6" Chimney Pipe | 6DP06 | 1 | 3.5 | \$71.51 |
| 9" Chimney Pipe | 6DP09 | 1 | 5.1 | 84.13 |
| 12" Chimney Pipe | 6DP12 | 1 | 6.7 | 96.03 |
| 24" Chimney Pipe | 6DP24 | 1 | 11.8 | 141.73 |
| 36" Chimney Pipe | 6DP36 | 1 | 17.9 | 200.54 |
| 15° Elbow Kit - GA | 6DPE15 | 1 | 10.0 | 336.60 |
| <i>(includes: 2 Elbows & 1 Elbow Strap)</i> | | | | |
| 30° Elbow Kit - GA | 6DPE30 | 1 | 12.0 | 447.69 |
| <i>(includes: 2 Elbows & 1 Elbow Strap)</i> | | | | |
| Round Ceiling Support Box | 6DPRCS | 1 | 8.1 | 139.26 |
| Square Ceiling Support Box & Trim Collar - 11" tall | 6DPCS11 | 1 | 9.1 | 108.14 |
| Square Ceiling Support Box & Trim Collar - 24" tall | 6DPCS24 | 1 | 13.7 | 121.15 |
| Square Ceiling Support Box & Trim Collar - 36" tall | 6DPCS36 | 1 | 18.8 | 253.59 |
| Flat Ceiling Support Box (unfinished) | 6DPFCS | 1 | 6.0 | 94.68 |
| Wall Thimble | 6DPWT | 1 | 7.7 | 87.31 |
| Tee w/Cap | 6DPT | 1 | 10.5 | 271.96 |
| Tee Support Bracket | 6DPTSB | 1 | 8.1 | 114.04 |
| Wall Strap | 6DPWS | 2 | 3.9 | 35.22 |
| Firestop Radiation Shield | 6DPFRS | 1 | 7.1 | 84.68 |
| Attic Insulation Shield | 6DPIS | 1 | 8.2 | 94.39 |
| Flat Roof Flashing (tall cone) ventilated | 6DPFF | 1 | 6.4 | 80.80 |
| Adjustable Flashing 0/12 - 6/12 ventilated | 6DPF6 | 1 | 4.0 | 74.65 |
| Adjustable Flashing 7/12 - 12/12 ventilated | 6DPF12 | 1 | 7.3 | 126.03 |
| Storm Collar | 6DPSC | 10 | 10.1 | 16.03 |
| Extended Roof Bracket | 6DPXRB | 1 | 2.6 | 133.33 |
| Chimney Cap | 6DPVC | 1 | 4.1 | 96.86 |

| 8" | | | | |
|---|---------|-------------|-------------|--------------|
| Description | Item # | Pcs/ Ctn | Lbs/ Ctn | LIST EACH |
| 8" DURAPLUS 2100° HT | | | | |
| 6" Chimney Pipe | 8DP06 | 1 | 4.4 | \$112.76 |
| 9" Chimney Pipe | 8DP09 | 1 | 6.3 | 128.11 |
| 12" Chimney Pipe | 8DP12 | 1 | 8.2 | 152.40 |
| 24" Chimney Pipe | 8DP24 | 1 | 15.0 | 207.34 |
| 36" Chimney Pipe | 8DP36 | 1 | 21.9 | 292.47 |
| 30° Elbow Kit - GA | 8DPE30K | 1 | 6.4 | 543.94 |
| <i>(includes: 2 Elbows & 1 Elbow Strap)</i> | | | | |
| Square Ceiling Support Box & Trim Collar - 11" tall | 8DPCS11 | 1 | 9.3 | 146.47 |
| Square Ceiling Support Box & Trim Collar - 24" tall | 8DPCS24 | 1 | 14.5 | 159.39 |
| Flat Ceiling Support Box (unfinished) | 8DPFCS | 1 | 6.1 | 102.50 |
| Wall Thimble | 8DPWT | 1 | 7.5 | 112.40 |
| Tee w/Cap | 8DPT | 1 | 13.5 | 389.97 |
| Tee Support Bracket | 8DPTSB | 1 | 9.6 | 141.70 |
| Wall Strap | 8DPWS | 1 | 8.5 | 44.29 |
| Firestop Radiation Shield | 8DPFRS | 1 | 6.8 | 94.68 |
| Flat Roof Flashing (tall cone) ventilated | 8DPFF | 1 | 6.6 | 121.25 |
| Adjustable Flashing 0/12 - 6/12 ventilated | 8DPF6 | 1 | 4.5 | 103.14 |
| Adjustable Flashing 7/12 - 12/12 ventilated | 8DPF12 | 1 | 10.0 | 172.18 |
| Storm Collar | 6DPSC | 10 | 10.1 | 16.03 |
| Extended Roof Bracket | 8DPXRB | 1 | 3.7 | 140.90 |
| Chimney Cap | 8DPVC | 1 | 5.3 | 145.54 |
| Spark Arrestor 5"-8" | +5D TSA | 1 | | 19.60 |
| Base Plate | 8DPBP | 1 | 9.1 | 84.87 |
| <i>(Casper and GrandJunction Stocked Only)</i> | | | | |

